

ABLOY® Declaration of Performance No. DOP 1020

MANUFACTURER:

Abloy Oy
Joensuu factory
Wahlforssinkatu 20
FI-80100 Joensuu
FINLAND

System or systems of assessment and verification of constancy of performance of the construction product:
AVCP 1

NOTIFIED PRODUCT CERTIFICATION BODY:

VTT Expert Services Ltd
ID No: 0809
P.O.Box 1001
FI-02044 VTT
FINLAND

Notified product certification body performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of the factory production control and continuous surveillance, assessment and evaluation of factory production control and issued the certificate of constancy of performance of the product.

No.
0809-CPR-1054
0809-CPD-0610
0809-CPD-0655
0809-CPD-0656
0809-CPD-0662
0809-CPD-0663
0809-CPD-0664
0809-CPD-0733
0809-CPD-0734
0809-CPD-0735
0809-CPD-0736
0809-CPD-0744

ABLOY PANIC BAR

ABLOY PBE001
ABLOY PBE002
ABLOY PBE003

Category of use	3	High frequency of use	EN1125:2008
Durability	7	200 000 cycles	
Door mass	6	up to 200kg	
Suitability for use on fire/smoke doors	B	Suitable on fire doors	
Safety	1	Identified	
Corrosion resistance	3	96h	
Security	2	1000N	
Projection of operating element	2	Projection up to 100mm	
Type of operation	A	Push bar operation	
Field of door application	A	Single door, double exit door: active or inactive leaf	



17.02.2014 Abloy Oy
Jaakko Meriläinen
Vice President
Architectural Hardware