

The world's favorite lock



Padlock Collection



CONTENTS

2

Introduction

5

Extreme Environments

8

Outdoor Environments

16

General Security

18

Designed from the inside out

20

Yale performance ratings

22


Padlock range matrix

24

Retail Solutions

Yale
the world's favorite lock

culture of
innovation



Yale innovations have not only transformed Yale, but have also shaped the global locking industry as we know it today.

The Yale Heritage : Lock innovations since 1865

In 1865, Linus Yale, Jr. of Salisbury, New York, patented his most important invention, the Pin Tumbler Lock system, that was to make Yale a household name. Inspired by basic principles first used by the ancient Egyptians 4,000 years ago, the new type of lock applied a simple yet ingenious approach that has helped position Yale as the world's favorite lock brand.

Yale's European history began in 1904 when Yale established operations in London, Paris and Hamburg, with manufacturing starting a few years later in England, and a few decades later in Italy.

unlocking the future



The Yale mark is a promise of quality. Yale padlocks are for life - for every type of situation, and for a lifetime of high performance.

A global knowledge pool

Linus Yale's spirit of innovation lives on in the Yale brand today. Everyone in the company recognises that a great deal of effort goes into maintaining a number one position. It is only constant innovation that allows the highest quality products to be available to everyone. Our vision at Yale is to build on our heritage and energise it with new ideas for the future.

Yale's new padlock range demonstrates the brand's dedication to applying the latest insights in usability, sustainability, materials and production methods to offer some of the highest quality and most secure padlocks on the market today – and tomorrow, the world over.

the new Yale padlock range

Perfection reinvented

It may seem like an impossible task to improve on an object that has already been a part of our lives for generations. But with new developments in design innovation, materials and changing end user needs, Yale applies new insights into production techniques to make its products as user-friendly and as secure as possible.

As the world changes, Yale locks evolve. Whether in extreme conditions, outdoor or indoor, the new Yale padlock range offers universally relevant locking solutions to survive years of use in all types of environments.





Extreme Environments

The Extreme/Marine Series offers some of the highest security padlocks available. These locks are serious heavy-duty gear, tough enough for industrial or commercial use. Thicker protective bodies, and attack-resistant protective shrouds (select models) mean these locks can survive some of the most challenging conditions on earth, such as prolonged exposure to salt and sub-zero temperatures, as well as various forms of attack.

The Extreme/Marine Series rates between 7 and 10 on the Yale security rating scale which is equivalent to AS 4145.4 2002 (Australian Padlock Standard), offering maximum security, corrosion and attack resistance.



Molybdenum has unique characteristics such as strength and durability. It has been proved extremely reliable in situations such as in the, defense and space industries, where strength and durability are essential. These locks are rated between 7 and 10 on the Yale Rating Scale. This is equivalent to AS4145.4 2002 (Australian Padlock Standard).



Y300SS/63/127/1

Body material : **Marine Grade Stainless Steel / Natural**
Shackle material : **Stainless Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **7**
Corrosion rating : **Exposed**



Y90SS/45/129/1

Body material : **Marine Grade Stainless Steel / Natural**
Shackle material : **Stainless Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **7**
Corrosion rating : **Exposed**



Y300/63/127/1

Body material : **Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **8**
 Corrosion rating : **Exposed**



Y100/70/125/1

Body material : **Heavy Duty Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **9**
 Corrosion rating : **Exposed**



Y90B/45/129/1

Body material : **Solid Brass / Black**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **7**
 Corrosion rating : **Exposed**



Y90S/45/129/1

Body material : **Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **8**
 Corrosion rating : **Exposed**



Y290S/95/122/1

Body material : **Heavy Duty Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **10**
 Corrosion rating : **Exposed**



Y300C/63/127/1

Body material : **Hardened Steel/Black**
 Shackle material : **Molybdenum Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **8**
 Corrosion rating : **Exposed**

Heavy duty bodies with shackle shroud

Padlocks with an integrated shackle shroud protect the shackle from attack.

Outdoor Environments

These padlocks offer general security for both indoor and outdoor applications. Tough satin chrome-plated finishes and Boron steel shackles maximise corrosion and security resistance ratings.

These locks are rated between 4 and 6 on the Yale security rating scale. This is equivalent to AS4145.4 2002 (Australian Padlock Standard).





Boron is a high-grade precision steel. Due to its superior strength it is used in advanced automotive and heavy-duty industrial applications.



Y120/40/125/1

Body material : **Solid Brass/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Outdoor**



Y120/70/141/1

Body material : **Solid Brass/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Outdoor**



Y120/50/163/1

Body material : **Solid Brass/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **4**
 Corrosion rating : **Outdoor**



Y120/50/127/1

Body material : **Solid Brass/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **5**
 Corrosion rating : **Outdoor**

* Also available in 2 keyed alike and 4 keyed alike packs.

Y120/60/135/1

Body material : **Solid Brass/Satin Chrome**
 Shackle material : **Boron Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **6**
 Corrosion rating : **Outdoor**



Multi-pack

Multi-pack padlocks are operated with the same key for convenience. Two or more padlocks can be used in different applications. An additional key is included in these packs.

The Satin Chrome plated finish helps protect the body from surface damage and also improves general corrosion resistance.



Y210/38/127/1

Body material : **Solid Steel/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Outdoor**

* Available in 3 pcs pack. One key fits all.



Y210/51/127/1

Body material : **Solid Steel/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Outdoor**



Y124/60/110/1

Body material : **Solid Brass/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Outdoor**



Y124/70/115/1

Body material : **Solid Brass/Satin Chrome**
Shackle material : **Boron Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **6**
Corrosion rating : **Outdoor**



Y122/50/123/1

Body material : Solid Brass/Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 5
Corrosion rating : Outdoor



Y130/70/116/1

Body material : Marine Grade Stainless Steel/Natural
Shackle material : Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 6
Corrosion rating : Exposed
* Also available in 2 keyed alike pack.

Soft rubber bumper

A soft rubber cover fits around the padlock body to protect both the padlock and the fittings to which it is attached.



Y210C/51/127/1

Body material : Solid Steel/Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 6
Corrosion rating : Outdoor

Heavy duty bodies with shackle shroud

Padlocks with an integrated shackle shroud protect the shackle from attack.



Y121/40/125/1

Body material : Solid Brass/Black Cover
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 5
Corrosion rating : Outdoor

Plastic covered padlock

Visually appealing with a more tactile finish, padlocks with plastic covers are less likely to tarnish and add protection to the item being secured.



Y210C/38/127/1

Body material : Solid Steel/Satin Chrome
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 5
Corrosion rating : Outdoor



Y121/50/132/1

Body material : Solid Brass/Black Cover
Shackle material : Boron Steel
No. of padlocks : 1
No. of keys : 3
Security grading : 6
Corrosion rating : Outdoor

These padlocks offer greater resistance against harsh environmental conditions and carry a higher anti-corrosion rating. New “O” ring design minimises the chance of water entering through the shackle holes.



Y220/71/130/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **6**
Corrosion rating : **Exposed**



Y220/61/123/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Exposed**



Y220/51/118/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Exposed**

* Also available in 3 keyed alike pack.



Y221/61/130/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **6**
Corrosion rating : **Exposed**



Y221/52/125/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Exposed**



Y115/30/117/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **2**
Corrosion rating : **Outdoor**

* Also available in 3 keyed alike pack.



Y125/40/122/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Outdoor**

* Also available in 3 keyed alike pack.



Y125/50/129/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **5**
Corrosion rating : **Outdoor**



Y125/60/133/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **6**
Corrosion rating : **Outdoor**



Y125/40/163/1

Body material : **Laminated Steel/Zinc**
Shackle material : **Hardened Steel**
No. of padlocks : **1**
No. of keys : **3**
Security grading : **4**
Corrosion rating : **Outdoor**

* Also available in 3 keyed alike pack.



Y110/30/150/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **1**
 Corrosion rating : **Outdoor**

* Also available in 2 keyed alike pack.



Y110C/30/115/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **2**
 Corrosion rating : **Outdoor**

Y110/50/155/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **No Rating**
 Corrosion rating : **Outdoor**

Adjustable shackle

The vertical shackle length is adjustable.



Y110C/40/119/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **3**
 Corrosion rating : **Outdoor**



Y110/40/163/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **2**
 Corrosion rating : **Outdoor**

* Also available in 3 keyed alike pack.



Y110/30/117/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **2**
 Corrosion rating : **Outdoor**

* Also available in 2, 3 and 4 keyed alike pack.



Y110/35/121/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **3**
 Corrosion rating : **Outdoor**

* Also available in 2 keyed alike pack.



Y110/40/123/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **3**
 Corrosion rating : **Outdoor**

* Also available in 2, 4 and 6 keyed alike pack.



Y140/50/122/1

Body material : **Stainless Steel/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **2**
 Corrosion rating : **Outdoor**



Y110J/30/117/4

Body material : **Solid Brass/Black Cover**
 Shackle material : **Hardened Steel**
 No. of padlocks : **4**
 No. of keys : **4**
 Security grading : **2**
 Corrosion rating : **Outdoor**

Indoor Environments

These padlocks offer basic security for indoor applications, with new satin brass finishes and smoother rounded forms. Designed to provide basic security, they are built to the same quality standards as the rest of the Yale padlock family.





Y110J/15/111/4

Body material : **Solid Brass/Black Cover**
 Shackle material : **Steel**
 No. of padlocks : **4**
 No. of keys : **4**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**



Y150/22/120/1

Body material : **Solid Brass/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**



Y110/20/111/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**

* Also available in 4 keyed alike pack.



Y150/30/125/1

Body material : **Solid Brass/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**



Y110/25/115/1

Body material : **Solid Brass/Natural**
 Shackle material : **Hardened Steel**
 No. of padlocks : **1**
 No. of keys : **3**
 Security grading : **1**
 Corrosion rating : **Indoor**

* Also available in 2 and 4 keyed alike packs.



Y150/40/130/1

Body material : **Solid Brass/Natural**
 Shackle material : **Steel**
 No. of padlocks : **1**
 No. of keys : **N/A**
 Security grading : **No Rating**
 Corrosion rating : **Indoor**

designed from the inside out

Anticipating needs


Design is more than just aesthetics. It's about quality, from the inside out. Yale's philosophy is to create the highest quality security products possible, that are relevant to individual changing needs.

Key features



Advanced design

Innovative design enhances performance ratings. Integrated body designs and increased body thickness help protect the lock from attack.



Precision locking design

All locks contain precision-locking mechanisms.



Longevity

Yale locks are designed to survive our changing needs, as well as attack from man or nature's forces.



User convenience

Convenient features such as the re-keyable cylinders (select models) means the locks can be re-keyed or serviced if required.



Usability

Select models can be keyed alike so only one key is needed for numerous padlocks.



Patented flexibility

The patented quick-change shackle system allows the shackle to be replaced with ease, for trouble-free resizing or replacement.



Material

Specialised materials and finishing are used to withstand some of the toughest corrosive environments.



Extra security

Double ball locking is an example of where security features are added where they are most needed. (Select models)

the highest global standards

The toughest tests

Yale employs some of the toughest security and performance testing processes in the industry, and is a leading contributor to international standards development. These tests are more severe than would normally be encountered in real life.

Performance testing and the Global Yale Standard

The Global Yale Standard enables the most stringent evaluation of security and corrosion resistance of padlocks. The standard specifies performance requirements and describes test methods for strength, security, function and performance. (Equivalent to AS 4145.4 2002)

Security rate testing with simulated attacks

The Global Yale Security tests simulate various forms of extreme attack with common hand tools. The tests pulling, twisting, cutting, impact, sawing, drilling and cylinder manipulation. (Various tests applicable depending on padlock grade.)

Corrosion resistance

All Yale padlocks are exposed to accelerated corrosion tests to evaluate their resistance to corrosion. Testing includes long term exposure to damp, humid, wet and extreme conditions, including low temperatures and salt spray. (Various tests applicable depending on padlock grade.)

Durability testing

All Yale padlocks are subject to durability testing, simulating years of use.



Anti crop

Built-in protection against cropping.



Anti drill

Hardened protection against drill attack.



Anti impact

Built-in protection against impact.



Anti saw

Protection against saw attack.

Yale performance ratings

Security/strength ratings

Yale padlocks are divided into three security levels, blue, green and red, to help consumers choose the correct lock for their needs. The grading scale helps identify the lock's application and security rating and is visible on all padlock packaging and merchandising.

For further information on product ratings please visit yalelock.com.au


Security Rating Scale



Corrosion resistance ratings

All Yale locks and accessories are exposed to accelerated corrosion tests to evaluate their resistance to corrosion. The scale outlined below helps consumers determine the most appropriate padlock to use for their specific application.

The standard security padlocks cover both indoor and outdoor use, the high security padlocks covers outdoor and exposed, whereas the padlocks in the maximum security range are suitable for exposed and extreme conditions.



user-friendly packaging

Quick reference information

The packaging shows the security and corrosion resistance ratings, as well as an application description. Key product features are listed for quick reference.

Branding :
Prominent Yale branding.

Application :
Describes suitable application.

Security rating:
(0- 10)

Description :
Brief description of the product.

Product numbering :
A unique code to identify each product.

Strength Rating :
Strength rating, a guide to identifying the most appropriate product for the application.

Corrosion Rating :
Corrosion rating, a guide to identifying the most appropriate product for the application.

Quality/Standards

Features :
Detailing key product features and benefits.


Guarantee :
All Yale padlocks have a lifetime guarantee.

Website



padlock range matrix

PADLOCK DETAILS
SHACKLE DETAILS



Model N°	Padlock details				Shackle details				Usage conditions				Shackle material					Padlock features							
Model N° explanation Model Y90S Body width 45 Shackle size 129 Qty per pack 1	Width (mm)	Height (mm)	Thickness(mm)	Body material / finish	Diameter (mm)	Clearance Width	Clearance Height	Security rating	Indoor	Outdoor	Extreme	Marine	Steel	Hardened Steel	Stainless Steel	Boron	Molybdenum	Re-Keyable cylinder	Quick change shackle	Covered shackle	6-Pin cylinder	Double ball locking	Long Shackle	Key Alike	
Y90B/45/129/1	47	54	23	Solid Brass / Black	8	22	19	7			•					•		•	•		•	•			
Y300SS/63/127/1	63	56	22	Marine Grade Stainless Steel / Natural	11	31	27	7			•	•			•			•			•	•			
Y90SS/45/129/1	47	54	23	Marine Grade Stainless Steel / Natural	8	22	19	7			•	•			•			•	•		•	•			
Y300C/63/127/1	63	89	22	Hardened Steel / Black	11	21	27	8			•	•					•	•		•	•				
Y300/63/127/1	63	56	22	Hardened Steel / Black	11	31	27	8			•	•					•	•			•	•			
Y100/70/125/1	70	66	32	Heavy Duty Hardened Steel / Black	14	33	25	9			•	•					•	•			•	•			
Y90S/45/129/1	48	54	23	Hardened Steel / Black	8	22	19	8			•	•					•	•	•		•	•			
Y290S/95/122/1	95	69	30	Heavy Duty Hardened Steel / Black	14	35	21	10			•	•					•	•		•	•				
Y120/40/125/1	41	37	16	Solid Brass / Satin Chrome	7	20	25	5		•						•									
Y120/50/127/1	52	46	17	Solid Brass / Satin Chrome	9	25	26	5		•						•									
Y120/50/127/2	52	46	17	Solid Brass / Satin Chrome	9	25	26	5		•						•								•	
Y120/50/127/4	52	46	17	Solid Brass / Satin Chrome	9	25	26	5		•						•								•	
Y120/50/163/1	52	46	17	Solid Brass / Satin Chrome	9	25	63	4		•						•							•		
Y120/60/135/1	62	51	19	Solid Brass / Satin Chrome	10	34	34	6		•						•									
Y122/50/123/1	51	65	17	Solid Brass / Satin Chrome	7	19	23	5		•						•				•					
Y124/60/110/1	61	45	17	Solid Brass / Satin Chrome	10	18	10	5		•						•				•					
Y124/70/115/1	70	55	20	Solid Brass / Satin Chrome	12	22	15	6		•						•				•					
Y210/38/127/1	38	55	20	Solid Steel / Satin Chrome	6	19	26	4		•						•		•				•			
Y210/38/127/3	38	55	20	Solid Steel / Satin Chrome	6	19	26	4		•						•		•				•		•	
Y210/51/127/1	50	55	22	Solid Steel / Satin Chrome	9	19	27	5		•						•		•				•			
Y130/70/116/1	-	70Ø	24	Marine Grade Stainless Steel / Natural	9	20	14	6			•	•	•							•				•	
Y130/70/116/2	-	70Ø	24	Marine Grade Stainless Steel / Natural	9	20	14	6			•	•	•							•				•	
Y120/70/141/1	71	52	20	Solid Brass / Satin Chrome	11	40	41	6		•						•									
Y210C/38/127/1	38	83	20	Solid Steel / Satin Chrome	6	19	26	5		•						•		•		•		•			
Y210C/51/127/1	50	87	21	Solid Steel / Satin Chrome	9	19	27	6		•						•		•		•		•			
Y110/30/117/1	31	27	13	Solid Brass / Natural	4	15	16	2		•				•											
Y110/30/117/2	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										•	
Y110/30/117/3	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										•	
Y110/30/117/4	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										•	
Y110/30/150/1	31	27	13	Solid Brass / Natural	4	15	51	1		•				•									•		
Y110/30/150/2	31	27	13	Solid Brass / Natural	4	15	51	1		•				•									•	•	
Y140/50/122/1	-	48Ø	18-30	Stainless Steel / Natural	8	20	22	2		•			•												
Y110J/30/117/4	33	27	15	Solid Brass / Black Cover	4	15	16	2		•				•										•	


*NB: All dimensions indicated are nominal.
*NB: Specifications may change without notice.

Model N°	Padlock details				Shackle details				Usage conditions				Shackle material					Padlock features						
	Width (mm)	Height (mm)	Thickness(mm)	Body material / fi nish	Diameter (mm)	Clearance Width	Clearance Height	Security rating	Indoor	Outdoor	Marine	Extreme	Steel	Hardened Steel	Stainless Steel	Boron	Molybdenum	Re-Keyable cylinder	Quick change shackle	Covered shackle	6-Pin cylinder	Double ball locking	Long Shackle	Key Alike
Y110/50/155/1	51	42	17	Solid Brass / Natural	8	29	59/155	N/A		•				•									•	
Y110/50/127/1	52	41	17	Solid Brass / Natural	8	29	26	4		•				•										
Y110/50/127/2	52	41	17	Solid Brass / Natural	8	29	26	4		•				•										•
Y110/50/127/4	52	41	17	Solid Brass / Natural	8	29	26	4		•				•										•
Y110C/30/115/1	31	43	13	Solid Brass / Natural	4	12	14	2		•				•						•				
Y110C/40/119/1	41	53	16	Solid Brass / Natural	6	16	19	3		•				•						•				
Y110/35/121/1	36	30	13	Solid Brass / Natural	5	18	18	3		•				•										
Y110/35/121/2	36	30	13	Solid Brass / Natural	5	18	18	3		•				•										•
Y110/40/123/1	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/2	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/4	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/6	41	33	14	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/163/1	41	33	14	Solid Brass / Natural	6	22	63	2		•				•									•	
Y110/40/163/3	41	33	14	Solid Brass / Natural	6	22	63	2		•				•									•	
Y121/40/125/1	47	62	21	Solid Brass / Black Cover	7	20	22	5		•						•				•				
Y121/50/132/1	50	77	22	Solid Brass / Black Cover	9	24	23	6		•						•				•				
Y115/30/117/1	30	26	17	Laminated Steel / Zinc	5	14	18	2		•				•										
Y115/30/117/3	30	26	17	Laminated Steel / Zinc	5	14	18	2		•				•										•
Y125/40/122/1	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		
Y125/40/122/3	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		
Y125/40/122/4	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		
Y125/50/129/1	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		
Y125/50/129/2	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		
Y125/50/129/4	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		
Y125/60/133/1	60	44	30	Laminated Steel / Zinc	11	28	31	6		•				•								•		
Y125/40/163/1	40	36	22	Laminated Steel / Zinc	6	20	63	4		•				•								•		
Y125/40/163/3	40	36	22	Laminated Steel / Zinc	6	20	63	4		•				•								•		
Y220/51/118/1	53	49	35	Laminated Steel / Zinc		17	22	4				•		•								•		
Y220/51/118/3	53	49	35	Laminated Steel / Zinc		17	22	4				•		•								•		
Y220/61/123/1	62	54	39	Laminated Steel / Zinc		20	26	5				•		•								•		
Y220/71/130/1	72	59	43	Laminated Steel / Zinc		26	31	6				•		•								•		
Y221/52/125/1	53	78	35	Laminated Steel / Zinc		17	25	5				•		•								•		
Y221/61/130/1	62	89	39	Laminated Steel / Zinc		20	28	6				•		•								•		
Y110/20/111/1	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										
Y110/20/111/2	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/20/111/4	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/25/115/1	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										
Y110/25/115/2	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•
Y110/25/115/4	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•
Y110J/15/111/4	20	18	12	Solid Brass / Black Cover	2	8	12	N/A	•				•											•
Y150/22/120/1	22	32	10	Solid Brass / Natural	3	8	21	N/A	•				•											
Y150/22/120/2	22	32	10	Solid Brass / Natural	3	8	21	N/A	•				•											
Y150/30/125/1	31	41	13	Solid Brass / Natural	4	14	26	N/A	•				•											
Y150/40/130/1	40	48	15	Solid Brass / Natural	6	19	28	N/A	•				•											

retail solutions

Support material

Yale provides a comprehensive range of marketing support material to help raise awareness of Yale padlocks.



Trade brochure

providing you with detailed information on products



Leaflet



Yale website

yalelock.com.au



Ordering Card

notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





The world's favourite lock



ASSA ABLOY Australia Head Office

THE YALE BRAND, with its unparalleled global reach and range of products, reassures more people in more countries than any other consumer locking solution.

ASSA ABLOY, is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

yalelock.com.au

THE ASSA ABLOY GROUP, is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY Australia Head Office

ASSA ABLOY Australia Pty Limited
235 Huntingdale Road, Oakleigh
Victoria, 3166 Australia

1300 LOCK UP (1300 562 587)
info.au@assaabloy.com
assaabloy.com.au

The world's favorite lock



Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.

Yale Guarantee

Please go to yalelock.com.au for full details of the Yale Guarantee.